

























# 丸形状ケーキ









タイプモデル	形状	画像	製品のサイズ	容量 (H)	サイズ	重量	電気の	材料
SYP2515	円形		25mm(T2-5mm)	5400 ~ 7710pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
SYP3012	円形		30mm(T2-6mm)	2880 ~ 6168pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
SYP3508	円形		35mm(T2-6mm) Option :2mm	2880 ~ 4112pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
SYP4006	円形		40mm(T2-8mm) Option :2mm	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
SYP4506	円形		45mm(T2-8mm) Option :2mm	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
SYP6502	円形		65mm (T2-10mm)	720 ~ 1028pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
SYP8001 (12T)	円形		D:80mm T:2-12mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 2.0kw Max)	穀物の 100%
SYP8501 (12T)	円形		D:85mm T:2-12mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 2.0kw Max)	穀物の 100%






<b>SYP9001 (12T)</b>	円形		D:90mm T:2-12mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP9501 (12T)</b>	円形		D:95mm T:2-12mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP10001 (12T)</b>	円形		D:100mm (T:2- 12mm)	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP8001 (18T)</b>	円形		D:80mm T:3-18mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 2.0kw Max)	穀物の 100%
<b>SYP8501 (18T)</b>	円形		D:85mm T:3-18mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 2.0kw Max)	穀物の 100%
<b>SYP9001 (18T)</b>	円形		D:90mm T:3-18mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP9501 (18T)</b>	円形		D:95mm T:3-18mm	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP10001 (18T)</b>	円形		100mm (T:3- 18mm)	360 ~ 514pcs	575(L)mmx510(w)mmx1,475(H)mm	180kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%

<b>SYP8002 (10T)</b>	円形		D:80mm *T:2-10mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP8502 (10T)</b>	円形		D:80mm *T:2-10mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP9002 (10T)</b>	円形		D:80mm *T:2-10mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP9502 (10T)</b>	円形		D:80mm *T:2-10mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP8002 (12T)</b>	円形		D:80mm *T:2-12mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP8502 (12T)</b>	円形		D:85 *T:2-12mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP9002 (12T)</b>	円形		D:90 *T:2-12mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP9502 (12T)</b>	円形		D:95mm T:2-12mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%



<b>SYP8002 (18T)</b>	円形		D:80mm T:3-18mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP8502 (18T)</b>	円形		D:85mm T:3-18mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP9002 (18T)</b>	円形		D:90mm T:3-18mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%
<b>SYP9502 (18T)</b>	円形		D:95mm T:3-18mm	720 ~ 1028pcs	600(L)mmx550(w)mmx1,550(H)mm	200kg	220v/50 or 60hz(单相 3.1kw Max)	穀物の 100%

# 四角形状ケーキ








タイプモデル	形状	画像	製品のサイズ	容量(H)	サイズ	重量	電気の	材料
SYP3535(S8)	正方形	 SYP3535(S8)	35*35mm (T2-6mm)	2880 ~ 4112pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP4545(S6)	正方形		45*45mm (T2-6mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP4545(S6) Edge	正方形		45*45mm (T2-6mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP2575(R5)	長方形		25*75mm (T2-8mm)	1800 ~ 2570pcs	575(L)mmx510(w)mmx1,490(H)mm		220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP2575 (R5 円形処理)	円形処理		25*75mm (T2-8mm)	1800 ~ 2570pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP3075(R4)	長方形	 SYP3075(R4)	30*75mm (T2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP4090(R3)	長方形		40*90mm (T2-10mm)	1080 ~ 1542pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP4570(R3)	長方形		45*70mm (T2-10mm)	1080 ~ 1542pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%









<b>SYP6060(S2)</b>	正方形		60*60mm (T2-10mm)	720 ~ 1028pcs	575(L)mmx510( w)mmx1,490 (H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP8080(S2)</b>	正方形		D:80mm T:2-12mm	720 ~ 1028pcs	600(L)mmx550( w)mmx1,550 (H)mm	200kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP8585</b>	正方形		D:80 or 85mm *T:3- 10mm	360 ~ 514pcs	575(L)mmx510( w)mmx1,490 (H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP35100(R3)</b>	長方形		35*100mm (T2-8mm)	1080 ~ 1542pcs	575(L)mmx510( w)mmx1,490 (H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP50115(R1)</b>	長方形		50*115mm (T2-10mm)	360 ~ 514pcs	575(L)mmx510( w)mmx1,490 (H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%

## 三角形形状ケーキ






タイプモデル	形状	画像	製品のサイズ	容量(H)	サイズ	重量	電気の	材料
<b>SYP5804T</b>	三角形		58mm (T2- 8mm)	1440 ~ 2056pcs	575(L)mmx510( w)mmx1,490 (H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP5306T</b>	三角形		53mm (T2- 8mm)	2160 ~ 3084pcs	575(L)mmx510( w)mmx1,490 (H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%

# 特殊形状ケーキ

タイプモデル	形状	画像	製品のサイズ	容量(H)	サイズ	重量	電気の	材料
SYP2580G	キリン		25*80mm (T2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP2657F	魚		26*57mm (T2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP3080W	クジラ		30*80mm (T2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP4536MM	ミッキーマウス		45*36mm(T 2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP4545M	マウス		45*45mm (T2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP5045H	ハート		50*45mm (T2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
SYP3045BE	Bear		30*45mm (T2-6mm)	2880 ~ 4112pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%

<b>SYP3045BO</b>	骨		30*45mm (T:2-6mm)	2880 ~ 4112pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP4060 (E4)</b>	楕円形		40*60mm (T:2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP10001 (Lotus)</b>	落葉		100mm (T:2-10mm)	360 ~ 514pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP3585SP</b>	サツマイモ		35mm*85mm (T:2-8mm)	1080 ~ 1542pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP Butterfly</b>	蝶		53*45mm (T:2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP Star</b>	星		48mm (T:2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP Flower</b>	花		44mm (T:2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%
<b>SYP Horse (H4)</b>	うま		56mm (T:2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(单相 3.5kw Max)	穀物の 100%



<b>SYP Horse (H2)</b>	うま		82mm (T:2-8mm)	720 ~ 1028pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP ELEPHANT (E1)</b>	象		85mm (T:2-8mm)	360 ~ 514pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP ELEPHANT (E2)</b>	象		60mm (T:2-8mm)	720 ~ 1028pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP ELEPHANT (E4)</b>	象		42mm (T:2-8mm)	1440 ~ 2056pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%
<b>SYP HEXAGON (H6)</b>	六角形		45mm (T:2-8mm)	2160 ~ 3084pcs	575(L)mmx510(w)mmx1,490(H)mm	185kg	220v/50 or 60hz(単相 3.5kw Max)	穀物の 100%